



STATE OF MAINE
DEPARTMENT OF TRANSPORTATION
16 STATE HOUSE STATION
AUGUSTA, MAINE
04333-0016

JOHN ELIAS BALDACCI
GOVERNOR

DAVID A. COLI
COMMISSIONER

May 29, 2003
Subject: Biddeford / Sanford
Project No. STP 1065(600) X /
NH-1067(500) E
PIN No. 10656.00 / 10675.00
Bid Amendment No. 1

Dear Sir/Ms.:

Please make the following changes to your Bid Package:

1) In the contract book please delete all references to project number STP-1067(500) X and replace with NH-1067(500) E.

2) On project NH-1067(500) E "Sanford" on page 3 of 3 of the general notes please add the following general notes, numbered 30, 31, and 32:

30. Thickness of the concrete median will be 160 mm. The width of the concrete median varies from 0.75 meters to 3.0 meters.

31. Aggregate type A used under the concrete median will be used as a leveling course only.

32. On the detail of the concrete median, it calls for #4 rebar and WWM. Only WWM will be required.

Make these changes in pen and ink.

Consider these changes prior to submitting your bid on June 04, 2003.

Sincerely

Bruce R. Carter
Contracts Engineer



PRINTED ON RECYCLED PAPER